



# HIREAGE

11 Boeing Place, Mount Maunganui 3116 Ph: 07 575 0505  
2/11 March Place, Belfast, Christchurch 8051 Ph: 03 323 7507  
Email: [admin@trafficsigns.co.nz](mailto:admin@trafficsigns.co.nz) [www.trafficsigns.co.nz](http://www.trafficsigns.co.nz) PO Box 4366, Mount Maunganui South 3149

## ADVANCE WARNING VARIABLE MESSAGE TRAILER UNIT NZTA CoPTTM Compliant



- ◆ Maximum running time is 45 hours at full pixels before recharging is required
- ◆ Normal battery operating specifications are 3 x 12 volt Deep Cell Gel batteries
- ◆ Unit is controlled by on-board tablet with 87 pre-programmed graphic/text sequences and five favourite tabs for simple efficient use
- ◆ All panels have auto and manual light sensors for changing light conditions
- ◆ Unit stands 3.65m once fully erected
- ◆ Vehicle mount, trailer mount or unit mount options available
- ◆ 3 legged support system for stand alone option
- ◆ Vehicle can be wired with specialised plug (as supplied) to assist with charging the batteries

QUALITY TRAFFIC SIGNS & ACCESSORIES AT COMPETITIVE PRICES

CONTACT US NOW FOR A QUOTATION

Visit our website [www.trafficsigns.co.nz](http://www.trafficsigns.co.nz)





# HIREAGE

11 Boeing Place, Mount Maunganui 3116 Ph: 07 575 0505

2/11 March Place, Belfast, Christchurch 8051 Ph: 03 323 7507

Email: admin@trafficsigns.co.nz www.trafficsigns.co.nz PO Box 4366, Mount Maunganui South 3149

## MINI MATRIX VMS TRAILER

### MINI MATRIX VMS TRAILER


The Mini Matrix message sign is a compact version of the full-size sign. About 30% smaller (717kg), the mini trailer is highly maneuverable and easy to use.

#### FEATURES INCLUDE

- ◆ Quality USA manufacturing
- ◆ Large range of accessories including:
  - ◇ speed radar
  - ◇ video surveillance
  - ◇ Remote connection
  - ◇ ITS safety
- ◆ 3 lines of 8 characters
- ◆ Default font - 34.2cm, 5x7 pixels per character
- ◆ Sign size 2.44 x 1.4m
- ◆ Simple to use winch
- ◆ 360° rotation of board
- ◆ Easy set up and control
- ◆ Easy maneuverability
- ◆ Batteries rechargeable by either solar power or mains power



Mini - Travel Position



QUALITY TRAFFIC SIGNS & ACCESSORIES AT COMPETITIVE PRICES

CONTACT US NOW FOR A QUOTATION

Visit our website [www.trafficsigns.co.nz](http://www.trafficsigns.co.nz)





# HIREAGE


11 Boeing Place, Mount Maunganui 3116 Ph: 07 575 0505  
2/11 March Place, Belfast, Christchurch 8051 Ph: 03 323 7507

Email: [admin@trafficsigns.co.nz](mailto:admin@trafficsigns.co.nz) [www.trafficsigns.co.nz](http://www.trafficsigns.co.nz) PO Box 4366, Mount Maunganui South 3149

## Smart Switch Vehicle Activated Traffic Lights NZTA Compliant, Tested & Approved-AS4191-1994

### FEATURES INCLUDE:

- ◆ Battery power supply with **Solar** recharging system
- ◆ Easy to use tablet application for controlling sign via Wi-Fi with range up to 100m.
- ◆ Two way lights system for temporary road work or other occupation of road.
- ◆ Wireless or cable connection between lights on both approaches.
- ◆ Green to green protection.
- ◆ Red light fail monitoring.
- ◆ All lights fail monitoring.
- ◆ Wireless Master – Slave communication between two lights, up to 2000m.
- ◆ Wireless remote control for manual controlling, range up to 500m.



SCALE 1 : 20

### CONTROLLING THE SYSTEM:

System can be controlled directly over interface on Master unit, remotely via wireless remote control or via tablet Traffic Light application.

System consists of three signal lights (red, yellow and green lamp), supplied with solar panels and batteries, vehicle detector, remote control and tablet with Traffic Light Console.

The Master and slave units communicate via radio on 2,4GHz. Remote control communicates with the Master via radio on 2.4GHz.

There is a Wi-Fi access point established within Master unit. It is used for the tablet to communicate with the system.

**QUALITY TRAFFIC SIGNS & ACCESSORIES AT COMPETITIVE PRICES**  
**CONTACT US NOW FOR A QUOTATION**

Visit our website [www.trafficsigns.co.nz](http://www.trafficsigns.co.nz)





# RADAR FEEDBACK UNIT

11 Boeing Place, Mount Maunganui 3116 Ph: 07 575 0505  
2/11 March Place, Belfast, Christchurch 8051 Ph: 03 323 7507  
Email: [admin@trafficsigns.co.nz](mailto:admin@trafficsigns.co.nz) [www.trafficsigns.co.nz](http://www.trafficsigns.co.nz) PO Box 4366, Mount Maunganui South 3149



## SPEED RADAR FEEDBACK UNIT FOR OPERATION IN TEMPORARY WORKZONE AREAS

Developed to provide drivers with feedback of their travelling speed throughout work zone areas.

### FEATURES INCLUDE:

- ◆ Provided with a 50 watt solar system for easy battery charging
- ◆ Tablet controlled software application via Wi Fi for easy set up and speed setting changes
- ◆ Software has a data log for unit recordings
- ◆ Three function modes with three different speed threshold settings
- ◆ 24 month warranty t&c's
- ◆ Sign Size 800 x 1150
- ◆ Total Height 2.1m

QUALITY TRAFFIC SIGNS & ACCESSORIES AT COMPETITIVE PRICES  
CONTACT US NOW FOR A QUOTATION


Visit our website [www.trafficsigns.co.nz](http://www.trafficsigns.co.nz)





# SPEED ADVISORY UNIT

11 Boeing Place, Mount Maunganui 3116 Ph: 07 575 0505  
2/11 March Place, Belfast, Christchurch 8051 Ph: 03 323 7507  
Email: [admin@trafficsigns.co.nz](mailto:admin@trafficsigns.co.nz) [www.trafficsigns.co.nz](http://www.trafficsigns.co.nz) PO Box 4366, Mount Maunganui South 3149



## SPEED ADVISORY UNIT FOR OPERATION IN TEMPORARY WORKZONE AREAS

Developed to provide drivers with electronic notification of the temporary traffic required speed while travelling throughout work zone areas.

### FEATURES INCLUDE:

- ◆ Provided with a 50 watt solar system for easy battery charging
- ◆ Tablet controlled software application via Wi Fi for easy set up and speed setting changes
- ◆ Speed display (10km—90km) and multiple flashing options
- ◆ Two Year Warranty
- ◆ Sign Size 800x800
- ◆ Total Height 2m

QUALITY TRAFFIC SIGNS & ACCESSORIES AT COMPETITIVE PRICES

CONTACT US NOW FOR A QUOTATION

Visit our website [www.trafficsigns.co.nz](http://www.trafficsigns.co.nz)



Quality  
ISO 9001



Health &  
Safety  
AS/NZS 4801



Environment  
ISO 14001

