



TEMPORARY WARNING ORDER FORM



































E&OE



































11 Boeing Place, Mount Maunganui 3116 Ph: 07 575 0505
 2/11 March Place, Belfast, Christchurch 8051 Ph: 03 323 7507
 Email: admin@trafficsigns.co.nz www.trafficsigns.co.nz PO Box 4366, Mount Maunganui South 3149

ACCOUNT NAME: _____ DATE: _____ PO#: _____
 ORDERED BY: _____ PHONE: _____ EMAIL: _____
 DELIVERY DETAILS: _____

LEVEL ONE

CODE	IMAGE	DESCRIPTION	SIZE	REFLECTIVE	QUANTITY REQUIRED
TW1-A-ALI		Road Works (Man Working)	750x750	Fluro Orange VIP	
TW1A.3-ALI		----km/h Ahead (Specify Speed Required)	900x450	White HIP	k/mh required:
TW1.1- A-ALI		Next 1 km	900x300	Fluro Orange VIP	k/mh required:
TW1.2 -A-ALI		Wet Tar	900x300	Fluro Orange VIP	
TW1.2.1-A-ALI		New Seal	900x300	Fluro Orange VIP	
TW1.3.1-A-ALI		Grader	900x300	Fluro Orange VIP	
TW1.3.2-A-ALI		Mower	900x300	Fluro Orange VIP	
TW1.3.3-A-ALI		Skid Testing	900x450	Fluro Orange VIP	
TW1.3.4-A-ALI		Weed Sprayer	900x450	Fluro Orange VIP	
TW1.4 -A-ALI		Road Marking	900x450	Fluro Orange VIP	
TW1.5-A- ALI		On Side Road	900x450	Fluro Orange VIP	
TW1.6-A-ALI		Shoulder Closed	900x450	Fluro Orange VIP	
TW1.7-A-ALI		Surveying	900x450	Fluro Orange VIP	
TW1.8 A-ALI		Bridge Repairs	900x450	Fluro Orange VIP	
TW2-A-ALI		Hazard	750x750	Fluro Orange VIP	
TW2.1-A-ALI		Flooding	900x300	Fluro Orange VIP	
TW2.1.25-A		Pedestrians	900x300	Fluro Orange VIP	
TW2.2-A-ALI		Washout	900x300	Fluro Orange VIP	
TW2.3-A-ALI		Line Crew	900x300	Fluro Orange VIP	
TW2.4 -A-ALI		Blasting	900x300	Fluro Orange VIP	
TW2.5-A-ALI		Tree Felling	900x450	Fluro Orange VIP	
TW2.6 -A-ALI		Logging Trucks	900x450	Fluro Orange VIP	
TW2.7-A-ALI		Trucks Crossing	900x450	Fluro Orange VIP	
TW2.8-A-ALI		No Road Marking	900x450	Fluro Orange VIP	

CODE	IMAGE	DESCRIPTION	SIZE	REFLECTIVE	QUANTITY REQUIRED
TW2.9-A-ALI		Signals Changed	900x450	Fluro Orange VIP	
TW2.10-A-ALI		Signals Not Working	900x450	Fluro Orange VIP	
TW2.11-A-ALI		New Road Layout	900x450	Fluro Orange VIP	
TW2.12-A-ALI		Traffic Survey	900x300	Fluro Orange VIP	
TW2.13.1-A-ALI		Cycle Race	900x300	Fluro Orange VIP	
TW2.13.2-A-ALI		Runners	900x300	Fluro Orange VIP	
TW2.13.3-A-ALI		Walkers	900x300	Fluro Orange VIP	
TW2.14-A-ALU		Accident	900x300	Fluro Orange VIP	
TW2.15-A-ALI		Fire	900x450	Fluro Orange VIP	
TW2.16.1-A-ALI		Cyclists Ahead	900x450	Fluro Orange VIP	
TW2.16.2-A-ALI		Runners Ahead	900x450	Fluro Orange VIP	
TW2.16.3-A-ALI		Walkers Ahead	900x450	Fluro Orange VIP	
TW2.17-A-ALI		Funeral	900x300	Fluro Orange VIP	
TW2.18-A-ALI		Film Crew	900x300	Fluro Orange VIP	
TW2.19-A-ALI		Event	900x300	Fluro Orange VIP	
TW3-A-ALI		Slips	750x750	Fluro Orange VIP	
TW4-A-ALI		Slippery Surface	750x750	Fluro Orange VIP	
TW4.1-A-ALI		Ice/Grit	900x300	Fluro Orange VIP	
TW5-A-ALI		Stone Chip	750x750	Fluro Orange VIP	
TW5.2-A-ALI		Seal Repairs	900x300	Fluro Orange VIP	
TW1LINE-F-ROLL		1 Line Supp Roll Up	950 x 300	Fluro Orange VIP	Specify Text Required_____
TW2LINE-F-ROLL		2 Line Supp Roll Up	950 x 500	Fluro Orange VIP	Specify Text Required_____
TW6-A-ALI		Animals-Stock	750x750	Fluro Orange VIP	
TW6.1-A-ALI		Animals-Sheep	750x750	Fluro Orange VIP	
TW7-A-L-ALI		Lane Drop two to one left	750x750	Fluro Orange VIP	
TW7-A-R-ALI		Lane Drop two to one right	750x750	Fluro Orange VIP	
TW7.1-A-L-ALI		Lane Drop three to two left	750x750	Fluro Orange VIP	
TW7.1-A-R-ALI		Lane Drop three to two right	750x750	Fluro Orange VIP	
TW7.1.1-A-L-ALI		Middle lane discontinues merge left	750x750	Fluro Orange VIP	
TW7.1.1-A-R-ALI		Middle lane discontinues merge right	750x750	Fluro Orange VIP	
TW8-A-L-ALI		Two lane direction change Left	750x750	Fluro Orange VIP	
TW8-A-R-ALI		Two lane direction change Right	750x750	Fluro Orange VIP	
TW13-L-ALI		Left lane narrows	750x750	Orange HIP	
TW13-R-ALI		Right lane narrows	750x750	Orange HIP	



































CODE	IMAGE	DESCRIPTION	SIZE	REFLECTIVE	QUANTITY REQUIRED
TW13.1-ALI		Both Lanes Narrow	750x750	Orange HIP	
TW13S-ALI		One Lane (supp)	900x300	Orange HIP	
TW14-A-ALI		Traffic Lights	750x750	Orange HIP	
TW15-A-ALI		Flag Man	750x750	Orange HIP	
TW15.1-A-ALI		Please Stop On Request-Supp	900x450	Orange HIP	
TW16-A-ALI		Works End	900x300	Orange HIP	
TW17-A-ALI		Thank You	900x300	Orange HIP	
TW 16/17-A-ALI		Works End Thank You	900x450	Orange HIP	
TW19-A-ALI		Dry Your Brakes	900x450	Orange HIP	
TW20.1-A-ALI		Road Closed Ahead	1000x750	Fluro Orange VIP	
TW21-A-ALI		Detour Ahead Follow [state symbol]	1000x750	Fluro Orange VIP	
TW21-A-ALI		Detour Ahead Follow [state symbol]	1000x750	Fluro Orange VIP	
TW21-A-ALI		Detour Ahead Follow [state symbol]	1000x750	Fluro Orange VIP	
TW21-A-ALI		Detour Ahead Follow [state symbol]	1000x750	Fluro Orange VIP	
TW22-A-F-ALI		Detour Direction Forward	900x450	Fluro Orange VIP	
TW22-A-L-ALI		Detour Direction - Left	900x450	Fluro Orange VIP	
TW22-A-R-ALI		Detour Direction Right	900x450	Fluro Orange VIP	
TW22-A-L45		Detour Direction Left 45 deg	900x450	Fluro Orange VIP	
TW22-A-R45		Detour Direction Right 45 deg	900x450	Fluro Orange VIP	
TW23-A-ALI		Detour Ends	900x450	Fluro Orange VIP	
TW24-ALI		Cement Splashes	1000x750	Orange HIP	
TW24.1-ALI		Lime Splashes	1000x750	Orange HIP	
TW25-ALI		Pilot Car Follow Me	900x450	Fluro Orange VIP	
TW26-A-ALI		Road Works	900x450	Fluro Orange VIP	
TW27-ALI		Road Inspection	900x450	Fluro Orange VIP	
TW28-A-ALI-L		Site Access Left XXX m	750x750	Orange HIP	Specify Distance Required
TW28-A-ALI-R		Site Access Right XXX m	750x750	Orange HIP	Specify Distance Required
TW29-A-L-ALI		Site Access Left	750x750	Orange HIP	
TW29-A-R-ALI		Site Access Right	750x750	Orange HIP	
TW30-ALI		Pedestrian Crossing Closed	900x450	Orange HIP	
TW31-ALI		Footpath Closed	900x450	Orange HIP	
TW32P-F-ALI		Pedestrian Forward	900x450	Orange HIP	
TW32P-L-ALI		Pedestrian Direction Left	900x450	Orange HIP	
TW32P-R-ALI		Pedestrian Direction Right	900x450	Orange HIP	



































CODE	IMAGE	DESCRIPTION	SIZE	REFLECTIVE	QUANTITY REQUIRED
TW32P-L45-ALI		Pedestrian Direction 45 degree Left	900x450	Orange HIP	
TW32P45-R-ALI		Pedestrian Direction 45 degree Right	900x450	Orange HIP	
TW32C-F-ALI		Cycle Direction Forward	900x450	Orange HIP	
TW32C-L-ALI		Cycle Direction Left	900x450	Orange HIP	
TW32C-R45-ALI		Cycle Direction 45 degree Right	900x450	Orange HIP	
TW32C-L45-ALI		Cycle Direction 45 degree Left	900x450	Orange HIP	
TW32P-F-ALI		Pedestrian Direction	900x450	Orange HIP	
TW32C-F-ALI		Cycle Direction	900x450	Orange HIP	
TW33-PANEL-H		Stop/Go - Panel only	n/a	HIP	
TW33-ALI-H		Stop/Go With Ali handle	n/a	HIP	
TW33-WOOD-H		Stop/Go Wooden handle	n/a	HIP	
TW33SLOW-ALI-H		Slow/Stop With Ali Handle	n/a	HIP	
TW34-ALI		Pass With Care	900x450	Fluro Orange VIP	
TW34.RG34-ALI		Pass With Care + RG34	900x450	Fluro Orange VIP	
TW35-A-ALI		Diverge	750x750	Fluro Orange VIP	
TW36-A-ALI		Uneven Surface	750x750	Fluro Orange VIP	
TWRG430-A-ALI		Speed Restriction 30 km Single Sided Skinny	750x750	White HIP	
TWRG450-A-ALI		Speed Restriction 50 km Single Sided Skinny	750x750	White HIP	
TWRG470-A-ALI		Speed Restriction 70 km Single Sided Skinny	750x750	White HIP	
TWRG480-A-ALI		Speed Restriction 80 km Single Sided Skinny	750x750	White HIP	
TWRG4DSWW-A-ALI		Speed Restriction Double Sided Wide/Wide (EG 30/50km)	750x750	White HIP	Specify Speeds Required ___ / ___
TWRG4DSWS-A-ALI		Speed Restriction Double Sided Wide/Skinny (EG 100/50km)	750x750	White HIP	Specify Speeds Required ___ / ___
TWRG4DSWD-A-ALI		Speed Restriction Double Sided Wide/De-Restriction	750x750	White HIP	Specify Speed Required On Side One
TWRG4S-A-ALI		Temporary	900x300	Orange HIP	
TWRG7-A-ALI		No Right Turn	750x750	White HIP	
TWRG8-A-ALI		No Left Turn	750x750	White HIP	
TWRG16-A-ALI		Road Closed	750x750	White HIP	
TWRG17-A-ALI		Keep left Arrow	750x750	White HIP	
TWRG34-A-ALI		Keep Right Arrow	750x750	White HIP	
TWRG19-A-ALI		One Lane (Give Way)	750x750	White HIP	
TWRG19.1-A-ALI		Give Way	900x300	White HIP	
TWRG20-A-ALI		One Lane (Priority)	750x750	White HIP	
TWRGC17-ALI		Keep Left/Right (Cone Mounted) Includes Cone Strap	400	White HIP	
TWRGC17.1-ALI		Twin Disc (Cone Mounted) Includes Cone Strap	300x600	White HIP	

CODE	IMAGE	DESCRIPTION	SIZE	REFLECTIVE	QUANTITY REQUIRED
TWRGC17.1-DS-ALI		Twin Disc Double Sided (Cone Mounted) Includes Cone Strap	300x675	White HIP	
TWSDCRG17.1-ALI		Twin Disc Spinning Disc (Cone Mounted) Includes Cone Strap	300x600	White HIP	
TWRPC1.1-ALI		No Stopping (Cone Mounted) Includes Cone Strap	350x500	White HIP	
TWRG30CM-ALI		Stop Here On Red Signal (Cone Mounted)	360x500	White HIP	
TWC32P-L-ALI		Pedestrian Direction Left (Cone Mounted) Includes Cone Strap	350x500	Orange HIP	
TWC32P-R-ALI		Pedestrian Direction Right (Cone Mounted) Includes Cone Strap	350x500	Orange HIP	
TWC32C-L-ALI		Cyclist Direction Left (Cone Mounted) Includes Cone Strap	350x500	Orange HIP	
TWC32C-R-ALI		Cyclist Direction Right (Cone Mounted) Includes Cone Strap	350x500	Orange HIP	
TWC32PSD		Pedestrian Direction Spinning Disk (Cone Mounted) Includes Cone Strap	350x500	Orange HIP	
TWC32CSD		Cyclist Direction Spinning Disk (Cone Mounted) Includes Cone Strap	350x500	Orange HIP	
TWRG16CM		Road Closed (Cone Mounted) Includes Cone Strap	600	White HIP	

LEVEL TWO

TW1-B-ALI		Man Working	1200x1200	Fluro Orange VIP	
TW1.1-B-ALI		1 km	1200x450	Fluro Orange VIP	Specify Speed Required _____
TW1B.2-ALI		Delays Possible	2400x1800	White HIP	Specify Speed Required _____
TW1B.3-ALI		____km/h Ahead (Specify Speed Required)	1200x600	White HIP	Specify Speed Required _____
TW1.2-B-ALI		Wet Tar	1200x450	Fluro Orange VIP	
TW1.2.1-B-ALI		New Seal	1200x450	Fluro Orange VIP	
TW1.3.1-B-ALI		Grader	1200x450	Fluro Orange VIP	
TW1.3.1-B-ALI		Mower	1200x450	Fluro Orange VIP	
TW1.3.3-B-ALI		Skid Testing	1200x600	Fluro Orange VIP	
TW1.3.3-B-ALI		Weed Sprayer	1200x600	Fluro Orange VIP	
TW1.4-B-ALI		Road Marking (Supp)	1200x600	Fluro Orange VIP	
TW1.7-B-ALI		Surveying	1200x450	Fluro Orange VIP	
TW1.8-B-ALI		Bridge Repairs	1200x600	Fluro Orange VIP	
TW2-B-ALI		Hazard	1200x1200	Fluro Orange VIP	
TW2.1-B-ALI		Flooding	1200x450	Fluro Orange VIP	
TW2.1.25-B		Pedestrians	1200x450	Fluro Orange VIP	
TW2.2-B-ALI		Washout	1200x450	Fluro Orange VIP	
TW2.1-B-ALI		Line Crew	1200x450	Fluro Orange VIP	
TW2.4-B-ALI		Blasting	1200x450	Fluro Orange VIP	
TW2.5-B-ALI		Tree Felling	1200x600	Fluro Orange VIP	
TW2.6-B-ALI		Logging Trucks	1200x600	Fluro Orange VIP	
TW2.7-B-ALI		Trucks Crossing	1200x600	Fluro Orange VIP	

CODE	IMAGE	DESCRIPTION	SIZE	REFLECTIVE	QUANTITY REQUIRED
TW2.8-B-ALI		No Road Marking	1200x600	Fluro Orange VIP	
TW2.9-B-ALI		Signals Changed	1200x600	Fluro Orange VIP	
TW2.10-B-ALI		Signals Not Working	1200x600	Fluro Orange VIP	
TW2.11-B-ALI		New Road Layout	1200x600	Fluro Orange VIP	
TW2.12-B-ALI		Traffic Survey	1200x600	Fluro Orange VIP	
TW2.13.1-B-ALI		Cycle Race	1200x450	Fluro Orange VIP	
TW2.13.2-B-ALI		Runners	1200x450	Fluro Orange VIP	
TW2.13.3-B-ALI		Walkers	1200x450	Fluro Orange VIP	
TW2.14-B-ALI		Accident	1200x450	Fluro Orange VIP	
TW2.15-B-ALI		Fire	1200x450	Fluro Orange VIP	
TW2.16.1-B-ALI		Cyclists Ahead	1200x600	Fluro Orange VIP	
TW2.16.2-B-ALI		Runners Ahead	1200x600	Fluro Orange VIP	
TW2.16.3-B-ALI		Walkers Ahead	1200x600	Fluro Orange VIP	
TW2.17-B-ALI		Funeral	1200x450	Fluro Orange VIP	
TW2.18-B-ALI		Film Crew	1200x450	Fluro Orange VIP	
TW2.19-B-ALI		Event	1200x450	Fluro Orange VIP	
TW3-B-ALI		Slips	1200x1200	Fluro Orange VIP	
TW4-B-ALI		Slippery Surface	1200x1200	Fluro Orange VIP	
TW4.1-B-ALI		Ice/Grit	1200x450	Fluro Orange VIP	
TW5-B-ALI		Stone Chip	1200x1200	Fluro Orange VIP	
TW5.2 -B-ALI		Seal Repairs	1200x600	Fluro Orange VIP	
TW6.B-ALIB		Animals-Stock	1200x1200	Fluro Orange VIP	
TW6.1-B-ALI		Animals-Sheep	1200x1200	Fluro Orange VIP	
TW7-B-L-ALI		Lane Drop Left	1200x1200	HIP White	
TW7-B-R-ALI		Lane Drop Right	1200x1200	HIP White	
TW7.1.1-B-L-ALI		Lane Drop Left	1200x1200	HIP White	
TW7.2-B-R-ALI		Lane Drop Right	1500x1200	HIP White	
TW8-B-R-ALI		Lane Merge from Right	1200x1200	HIP White	
TW8-B-L-ALI		Lane Merge from Left	1200x1200	HIP White	
TW8.1-B-L-ALI		Lane Shift Left	1200x1500	HIP White	
TW8.1-B-R-ALI		Lane Shift Right	1200x1500	HIP White	
TW9-B-L-ALI		Lane Merge Left	1200x1200	HIP White	
TW9-B-R-ALI		Lane Merge Right	1200x1200	HIP White	
TW10-B-L-ALI		Lane Merge Left	1200x1200	HIP White	

CODE	IMAGE	DESCRIPTION	SIZE	REFLECTIVE	QUANTITY REQUIRED
TW10-B-R-ALI		Lane Merge Right	1200x1200	HIP White	
TW11-B-L-ALI		Lane Merge Left	1200x1200	HIP White	
TW11-B-R-ALI		Lane Merge Right	1200x1200	HIP White	
TW12-B-ALI		Exit	1200x1200	Fluro Orange VIP	
TW13-B-L-ALI		Lane Narrows - Left	1200x1200	Fluro Orange VIP	
TW13-B-R-ALI		Lane Narrows - Right	1200x1200	Fluro Orange VIP	
TW14-B-ALI		Traffic Lights	1200x1200	Fluro Orange VIP	
TW15-B-ALI		Flag Man	1200x1200	Fluro Orange VIP	
TW15-1B Sup		Please Stop On Request	1200x600	Fluro Orange VIP	
TW16-B-ALI		Works End	1200x450	Fluro Orange VIP	
TW17-B-ALI		Thank You	1200x450	Fluro Orange VIP	
TW18-B		Please Stop On Request	1200x600	Fluro Orange VIP	
TW19-ALI		Dry Your Brakes	1200x600	Fluro Orange VIP	
TW20-B-ALI		Road Closed Ahead	1500x1200	Fluro Orange VIP	
TW21-B-ALI		Detour Ahead Follow [state symbol]	1500x1200	Fluro Orange VIP	
TW21-B-ALI		Detour Ahead Follow [state symbol]	1500x1200	Fluro Orange VIP	
TW21-B-ALI		Detour Ahead Follow [state symbol]	1500x1200	Fluro Orange VIP	
TW21-B-ALI		Detour Ahead Follow [state symbol]	1500x1200	Fluro Orange VIP	
TW22-B-L45		Detour Direction Left 45 deg	1200x450	Fluro Orange VIP	
TW22-B-R45		Detour Direction Right 45 deg	1200x450	Fluro Orange VIP	
TW22-B-F-ALI		Detour Direction-Forward	1200x450	Fluro Orange VIP	
TW22-B-L-ALI		Detour Direction-Left	1200x450	Fluro Orange VIP	
TW22-B-R-ALI		Detour Direction-Right	1200x450	Fluro Orange VIP	
TW23-ALI		Detour Ends	1200x600	Fluro Orange VIP	
TW24-ALI		Cement Splashes	1200x800	Orange HIP	
TW24-1-ALI		Lime Splashes	1200x800	Orange HIP	
TW25-ALI		Pilot Car Follow Me	1200x600	Fluro Orange VIP	
TW26-ALI		Road Works	1200x600	Fluro Orange VIP	
TW27-ALI		Road Inspection	1200x600	Fluro Orange VIP	
TW28-L-ALI		Site Access 100m Left	1200x1200	Fluro Orange VIP	
TW28-R-ALI		Site Access 100m Right	1200x1200	Fluro Orange VIP	
TW29-L-ALI		Site Access Left	1200x1200	Fluro Orange VIP	
TW29-R-ALI		Site Access Right	1200x1200	Fluro Orange VIP	
TW35-B-ALI		Diverge	1200x1200	Fluro Orange VIP	

CODE	IMAGE	DESCRIPTION	SIZE	REFLECTIVE	QUANTITY REQUIRED
TW36-B-ALI		Uneven Surface	1200x1200	Fluro Orange VIP	
TWRG4-B-ALI		Speed Restriction (EG 50 km)	1200x1200	White HIP	Specify Speed Required _____
TWRG430-B-ALI		Speed Restriction 30 km Single Sided Skinny	1200x1200	White HIP	
TWRG450-B-ALI		Speed Restriction 50 km Single Sided Skinny	1200x1200	White HIP	
TWRG470-B-ALI		Speed Restriction 70 km Single Sided Skinny	1200x1200	White HIP	
TWRG480-A-ALI		Speed Restriction 80 km Single Sided Skinny	1200x1200	White HIP	
TWRG4DSWW-B-ALI		Speed Restriction Double Sided Wide/Wide (EG 30/50km)	1200x1200	White HIP	Specify Speeds Required ___/___
TWRG4DSWS-A-ALI		Speed Restriction Double Sided Wide/Skinny (EG 100/50km)	1200x1200	White HIP	Specify Speeds Required ___/___
TWRG4DSWD-B-ALI		Speed Restriction Double Sided Wide/De-Restriction	1200x1200	White HIP	Specify Speed Required On Side One
TWRG4S-B Sup		Temporary	1200x450	Fluro Orange VIP	
TWRG7-B-ALI		No Right Turn	1200x1200	White HIP	
TWRG8-B-ALI		No Left Turn	1200x1200	White HIP	
TWRG16-B-ALI		Road Closed	1200x1200	White HIP	
TWRG17-B-ALI		Keep Left/Right arrow	1200x1200	White HIP	
ROAD CONES & ACCESSORIES					
CNCONE-RM-1B		1.25 kg Road marking Cone	450mm	HIP	
CNCONE-SP-4B		4.3kg Slim Profile	900mm	HIP	
CNCONE-SP-5B		5 kg Slim Profile	900mm	HIP	
CNCONE-SP-6B		6.2 kg Slim Profile	900mm	HIP	
CNCONE-WP-4B		4.3kg Wide Profile	900mm	HIP	
REFCONECLRWT		Cone Sleeves - Wide top	n/a	HIP	
REFCONECLRWB		Cone Sleeve - Wide Bottom	n/a	HIP	
REFCONECLRSLT		Cone Sleeves - Slim Top	n/a	HIP	
REFCONECLRSLB		Cone Sleeves - Slim Bottom	n/a	HIP	
ACLIGHTBATON		Light Baton - Red/Green Function	45mm x 360mm		
CNBAR1		Retractable cone bar	1500mm - 2400mm	Black/Yellow	
ACCOVERPOWER		Power Lines Overhead Cover for Cones WIDE			
ACCOVERPOWERS		Power Lines Overhead Cover for Cones SLIM			
CNRP1.1CS		No Stopping Road Cone Sleeve			
PSXHIT-O		Cross Hit Delineator Post & Base Only - Orange	85mm x 900mm	Orange	
FXBUTYLPAD-B		Butyl Pad for Mounting Cross Hit	n/a	Black	
PSXHIT-FS		Cross Hit Fixing Screws	4 per packet	n/a	
STTWSTOW		Tow Bar Stand for 900mm Supp Sign	n/a		
STL1-SS-TBS		Tow Bar Stand for 750mm Diamond & Supp Sign	n/a		

